

Access DB# 96219

## SEARCH REQUEST FORM

Scientific and Technical Information Center

Requester's Full Name: TRUENK, DVC Examiner #: 69332 Date: 6/9/03  
Art Unit: 1711 Phone Number 308-2437 Serial Number: 101020158  
Mail Box and Bldg/Room Location: 3/4229 Results Format Preferred (circle): PAPER DISK E-MAIL

If more than one search is submitted, please prioritize searches in order of need.

\*\*\*\*\*

Please provide a detailed statement of the search topic, and describe as specifically as possible the subject matter to be searched. Include the elected species or structures, keywords, synonyms, acronyms, and registry numbers, and combine with the concept or utility of the invention. Define any terms that may have a special meaning. Give examples or relevant citations, authors, etc, if known. Please attach a copy of the cover sheet, pertinent claims, and abstract.

Title of Invention: \_\_\_\_\_

Inventors (please provide full names): \_\_\_\_\_

Earliest Priority Filing Date: \_\_\_\_\_

\*For Sequence Searches Only\* Please include all pertinent information (parent, child, divisional, or issued patent numbers) along with the appropriate serial number.

Liter one of Formulas (3) (4) or (5) with Formula (2).  
Thanks.

\*\*\*\*\*  
STAFF USE ONLY

	Type of Search	Vendors and cost where applicable
Searcher: <u>Ed</u>	NA Sequence (#) _____	STN <u>\$580.63</u>
Searcher Phone #: _____	AA Sequence (#) _____	Dialog _____
Searcher Location: _____	Structure (#) <u>(2)</u>	Questel/Orbit _____
Date Searcher Picked Up: _____	Bibliographic <u>(1)</u>	Link _____
Date Completed: <u>6-10-03</u>	Litigation <u>(2)</u>	Lexis/Nexis _____
Searcher Prep & Review Time: <u>5</u>	Fulltext _____	Sequence Systems _____
Clerical Prep Time: _____	Patent Family _____	WWW/Internet _____
Online Time: <u>70</u>	Other _____	Other (specify) _____

=> file reg

FILE 'REGISTRY' ENTERED AT 13:53:43 ON 10 JUN 2003  
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
 COPYRIGHT (C) 2003 American Chemical Society (ACS)

=> d his

L12 FILE 'LREGISTRY' ENTERED AT 10:02:54 ON 10 JUN 2003  
 STR

L13 FILE 'REGISTRY' ENTERED AT 10:07:26 ON 10 JUN 2003  
 50 S L12  
 L14 STR L12  
 L15 50 S L14  
 L16 16749 S L14 FUL  
 SAV TEM L16 TRU152/A

L17 FILE 'LREGISTRY' ENTERED AT 12:37:25 ON 10 JUN 2003  
 STR

L18 FILE 'REGISTRY' ENTERED AT 12:42:18 ON 10 JUN 2003  
 SCR 2043  
 L19 50 S L17  
 E 4-BROMO-1,8-NAPHTHALIC ANHYDRIDE/CN  
 L20 1 S E3  
 E "HEXAMETHYLENE-1,6-BIS(DICYANDIAMIDE)"/CN  
 E HEXAMETHYLENEDIAMINE/CN  
 L21 1 S E3  
 L22 7 S 81-86-7/CRN  
 L23 7447 S 124-09-4/CRN  
 L24 1 S L22 AND L23

L25 FILE 'HCAPLUS' ENTERED AT 12:48:35 ON 10 JUN 2003  
 1 S L24

L26 FILE 'LREGISTRY' ENTERED AT 12:50:16 ON 10 JUN 2003  
 0 S L17 AND L18

L27 FILE 'REGISTRY' ENTERED AT 12:55:22 ON 10 JUN 2003  
 50 S L17 AND L18  
 L28 2659 S L17 AND L18 FUL  
 SAV L28 TRU152A/A  
 L29 2 S L28 AND L16


L30 FILE 'HCAPLUS' ENTERED AT 13:04:24 ON 10 JUN 2003  
 1 S L29  
 L31 4830 S L16  
 L32 3424 S L28  
 L33 2 S L31 AND L32

FILE 'HCAPLUS' ENTERED AT 13:49:09 ON 10 JUN 2003

L34 201 S (POLYM# OR POLYMER? OR COPOLYM# OR COPOLYMER? OR TERPOL  
L35 0 S L34 AND L31  
L36 2 S L25 OR L30 OR L33

FILE 'REGISTRY' ENTERED AT 13:53:43 ON 10 JUN 2003

=> d l16 que stat  
L14 STR



VAR G1=N/O  
NODE ATTRIBUTES:  
DEFAULT MLEVEL IS ATOM  
DEFAULT ECLEVEL IS LIMITED


GRAPH ATTRIBUTES:  
RSPEC I  
NUMBER OF NODES IS 15

STEREO ATTRIBUTES: NONE  
L16 16749 SEA FILE=REGISTRY SSS FUL L14

100.0% PROCESSED 18350 ITERATIONS  
SEARCH TIME: 00.00.01

16749 ANSWERS

=> d l28 que stat  
L17 STR



VAR G1=CN/6  
NODE ATTRIBUTES:

DEFAULT MLEVEL IS ATOM  
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:  
RING(S) ARE ISOLATED OR EMBEDDED  
NUMBER OF NODES IS 7

STEREO ATTRIBUTES: NONE  
L18 SCR 2043  
L28 2659 SEA FILE=REGISTRY SSS FUL L17 AND L18


100.0% PROCESSED 2682 ITERATIONS 2659 ANSWERS  
SEARCH TIME: 00.00.01

=> file hcaplus  
FILE 'HCAPLUS' ENTERED AT 13:54:29 ON 10 JUN 2003  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2003 AMERICAN CHEMICAL SOCIETY (ACS)


=> d l36 1-2 cbib abs hitstr hitind

L36 ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2003 ACS  
2001:185503 Document No. 134:218307 Antimicrobial polymers containing chromophoric markers.. Collins, Andrew Neale; Bothwell, Brian David; Mcpherson, Graham John (Avecia Ltd., UK). PCT Int. Appl. WO 2001017356 A1 20010315, 35 pp. DESIGNATED STATES: W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM; RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG. (English). CODEN: PIXXD2. APPLICATION: WO 2000-GB2864 20000725. PRIORITY: GB 1999-20774 19990903.  
AB An antimicrobial polymer is given, which carries a covalently-bound chromophoric marker. The antimicrobial polymer is preferably a cationic antimicrobial polymer, esp. a poly(hexamethylenebiguanide). Also claimed are compns. contg. the antimicrobial polymer, a method for treating a medium using the antimicrobial polymer and a method for detecting the antimicrobial polymer in a medium. The prepn. of chromophoric markers, such as N-(-aminohexyl)-4-(6-aminohexylamino)-1,8-naphthalimide, is given.  
IT 329710-62-5P  
(intermediate in prepn. of chromophoric marker for antimicrobial polymers)  
RN 329710-62-5 HCAPLUS  
CN Acetamide, N-[6-[6-[6-(acetylamino)hexyl]amino]-1,3-dioxo-1H-


benz[de]isoquinolin-2(3H)-yl]hexyl]- (9CI) (CA INDEX NAME)



IT 329710-65-8P 329710-66-9DP, reaction product with  
chromophoric markers  
(prepn. as antimicrobial polymer contg. chromophoric markers.)  
RN 329710-65-8 HCAPLUS  
CN Guanidine, N,N'''-1,6-hexanediylbis[N'-cyano-, polymer with  
2-(6-aminoethyl)-6-[(6-aminoethyl)amino]-1H-benz[de]isoquinoline-  
1,3(2H)-dione and 1,6-hexanediamine dihydrochloride (9CI) (CA INDEX  
NAME)  
CM 1  
CRN 329710-61-4  
CMF C24 H34 N4 O2




CM 2  
CRN 15894-70-9  
CMF C10 H18 N8



CM 3

CRN 6055-52-3

CMF C6 H16 N2 . 2 Cl H



2 HCl


RN 329710-66-9 HCAPLUS

CN Guanidine, N,N''''-1,6-hexanediylbis[N'-cyano-, polymer with  
6-bromo-1H,3H-naphtho[1,8-cd]pyran-1,3-dione and 1,6-hexanediamine  
dihydrochloride (9CI) (CA INDEX NAME)

CM 1

CRN 15894-70-9


CMF C10 H18 N8



CM 2

CRN 6055-52-3

CMF C6 H16 N2 . 2 Cl H




● 2 HCl


CM 3

CRN 81-86-7


CMF C12 H5 Br O3




IT 92874-17-4P 329710-61-4P 329710-63-6DP,  
 Wang resin deriv.  
 (prepn. as chromophoric marker for antimicrobial polymers)  
 RN 92874-17-4 HCAPLUS  
 CN 1H-Benz[de]isoquinoline-1,3(2H)-dione, 6-bromo-2-butyl- (9CI) (CA  
 INDEX NAME)




RN 329710-61-4 HCAPLUS  
 CN 1H-Benz[de]isoquinoline-1,3(2H)-dione, 2-(6-aminohexyl)-6-[(6-aminohexyl)amino]- (9CI) (CA INDEX NAME)



RN 329710-63-6 HCAPLUS  
 CN 1H-Benz[de]isoquinoline-1,3(2H)-dione, 2-(6-aminohexyl)-6-methoxy- (9CI) (CA INDEX NAME)



IT 81-86-7, 4-Bromo-1,8-naphthalic anhydride  
 (reactant in prepn. of chromophoric marker for antimicrobial polymers)  
 RN 81-86-7 HCAPLUS  
 CN 1H,3H-Naphtho[1,8-cd]pyran-1,3-dione, 6-bromo- (9CI) (CA INDEX NAME)




IC ICM A01N047-44  
 ICS A01N033-12; C09B057-00  
 CC 5-2 (Agrochemical Bioregulators)  
 Section cross-reference(s): 38, 41  
 IT 49631-88-1P 329710-62-5P  
 (intermediate in prepn. of chromophoric marker for antimicrobial polymers)  
 IT 329710-65-8P 329710-66-9DP, reaction product with chromophoric markers  
 (prepn. as antimicrobial polymer contg. chromophoric markers.)  
 IT 92874-17-4P 329710-61-4P 329710-63-6DP,  
 Wang resin deriv. 329710-64-7DP, Wang resin deriv.  
 329748-60-9DP, Wang resin deriv.  
 (prepn. as chromophoric marker for antimicrobial polymers)  
 IT 81-86-7, 4-Bromo-1,8-naphthalic anhydride 124-09-4,  
 Hexamethylenediamine, reactions  
 (reactant in prepn. of chromophoric marker for antimicrobial polymers)

L36 ANSWER 2 OF 2 HCAPLUS COPYRIGHT 2003 ACS  
 2000:694433 Document No. 133:267982 UV-absorbing thermosetting resin compositions, prepregs, laminates, and printed circuit boards.




Takata, Kosuke; Murai, Akira; Oze, Masahisa (Hitachi Chemical Co., Ltd., Japan). Jpn. Kokai Tokkyo Koho JP 2000273314 A2 20001003, 4 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 1999-78681 19990323.

- AB The compns. contain 4-aminonaphthalimide (I) N,N'-dialkyl derivs. and 4-methyl-7-(diethylamino)coumarin (II). Thus, brominated epoxy resin (YDB 400) 100, dicyandiamide 3, 2-ethyl-4-methylimidazole 0.17, I deriv. (Neosuper HR 60) 0.1, and II (Neosuper HR 1) 0.3 part were dissolved in ethylene glycol mono-Me ether and DMF to give a varnish, which was impregnated into a glass cloth, dried, sandwiched with Cu foils, and hot-pressed to give a Cu-clad laminate. Simultaneous exposure was carried out in resist pattern formation on both sides of a double-sided printed circuit board prepd. from the laminate.
- IT 1742-95-6D, 4-Aminonaphthalimide, derivs.  
(UV absorber; UV-absorbing thermosetting resin compns. for manuf. of double-sided printed circuit boards for simultaneous exposure on both sides in resist pattern formation)
- RN 1742-95-6 HCAPLUS
- CN 1H-Benz[de]isoquinoline-1,3(2H)-dione, 6-amino- (9CI) (CA INDEX NAME)




- IT 134096-54-1P  
(UV-absorbing thermosetting resin compns. for manuf. of double-sided printed circuit boards for simultaneous exposure on both sides in resist pattern formation)
- RN 134096-54-1 HCAPLUS
- CN Guanidine, cyano-, polymer with (chloromethyl)oxirane and 4,4'-(1-methylethylidene)bis[2,6-dibromophenol] (9CI) (CA INDEX NAME)
- CM 1
- CRN 461-58-5
- CMF C2 H4 N4



CM 2

CRN 106-89-8


CMF C3 H5 Cl O



CM 3

CRN 79-94-7

CMF C15 H12 Br4 O2



IC ICM C08L101-00

ICS B32B015-08; C08J005-24; C08K005-1545; C08K005-3432; C08L063-00;  
H05K001-03

CC 38-3 (Plastics Fabrication and Uses)

Section cross-reference(s): 76

IT **1742-95-6D**, 4-Aminonaphthalimide, derivs. 298211-33-3,

Neo-Super HR 60

(UV absorber; UV-absorbing thermosetting resin compns. for manuf. of double-sided printed circuit boards for simultaneous exposure on both sides in resist pattern formation)

IT **134096-54-1P**

(UV-absorbing thermosetting resin compns. for manuf. of double-sided printed circuit boards for simultaneous exposure on both sides in resist pattern formation)